

### Kendall Square Open Space Design

### Galaxy Park


CRA Board Presentation Jun 7, 2023



### **Project Overview**

- KSURP Streetscape Report Broadway, Main, & Third Street
- Street Design & Park Design
- Approx. One Year
  - Design Alternatives
  - 25% Design
  - 75% Design
  - 100% Design Ready to Proceed to Construction







#### Goals

- · High-quality public space
- Maximize the human experience through connectivity and safety
- Reflect Cambridge's environmental sustainability goals

#### **Objectives**

- Implement separated bicycle facilities
- Accommodate access to new and existing developments
- Plan around existing and future stormwater and utility infrastructure
- Preserve and enhance the tree canopy
- Improve pedestrian and bike infrastructure at intersections




#### **NEIGHBORHOOD CONTEXT**






#### **PEDESTRIAN MOBILITY**





#### **BICYCLISTS MOBILITY**





### **PREVIOUS CONCEPTS**




landworks studio, May 2020






# GALAXY PARK – PARK DESIGN 1 "SEATING AT THE POINT"






# **GALAXY PARK - PARK DESIGN 2**"THE GROVE"





# GALAXY PARK - PARK DESIGN 3 "THE CANYON"






# GALAXY PARK - STREET DESIGN 1 AT GRADE SEPARATED BIKE LANE





## GALAXY PARK - STREET DESIGN 1 AT GRADE SEPARATED BIKE LANE






# GALAXY PARK – STREET DESIGN 2 RAISED CYCLE TRACK





## GALAXY PARK – STREET DESIGN 2 RAISED CYCLE TRACK





15

## GALAXY PARK WHAT WE'VE HEARD SO FAR

#### What are the desired outcomes for Galaxy Park?

Concept	Seating at the Point	The Grove	The Canyon	At-Grade Cycle Track	Raised Cycle Track
Strengths			Provides desire line potentially useful; protected space  Maintenance point of view is easier and less obstacles in the way  A nice pass through  9' path acceptab le	Better for emergency vehicle access	Planters providing great separation for pedestrians & cyclists  Make it work; whole if can pull it off will be better
Challenges	Seating doesn't need to be the focus to be added  Sitting at the apex of triangular space doesn't seem as comfortable as a protected throughout  Don't need another seating area	Raised crosswalk may not be the best spot; one at Wadsworth instead?  Grove seating area not universally accessible	Need path wider for snow clearance and maintenance  Not as functional as a seating area like the fountain  Would need approval from MBTA		Need to check on fire truck access

## GALAXY PARK WHAT'S NEXT?

- Design Alternatives (we're here)
- 25% Design
- 75% Design
- 100% Design Ready to Proceed to Construction

Technical Coordination





cambridgeredevelopment.org